

## CMD – LITERATURE PROFILE

Authors, publication and journal	Authors no of cites	Journal impact factor	Impact X cites.	Citation Rates
<b>Alderman J</b> , Preskorn S, Sheldon H, Greenblatt DJ, Harrison W, Penenberg D, Allison J, Chung M.	<b>5,146,22,7,35,2,5,8.</b>	<b>5.7</b>	<b>1311</b>	<b>32</b>
Desipramine pharmacokinetics when coadministered with paroxetine or sertraline in extensive metabolizers.				
<i>J Clin Psychopharmacol</i> 1997; 17(4): 284-91.				
<b>Alderman J</b> , Wolkow R, Chung M, Johnston HF	<b>5,11,8,4</b>	<b>3.6</b>	<b>100.8</b>	<b>26</b>
Sertraline treatment of children and adolescents with OCD or depression: pharmacokinetics, tolerability, and efficacy.				
<i>J Am Acad Child Adolesc Psychiatry</i> 1998; 37(4): 386-394.				
<b>Ambrosini PJ</b> , Wagner KD, Biederman J, Glick I, Tan C, Elia J, Hebel JR, Rabinovitch H, Lock J, Geller D	<b>43,32,293,105,1,21,7,13,19,12</b>	<b>3.6</b>	<b>1965.6</b>	<b>17</b>
Multicenter open label Sertraline study in adolescent outpatients with major depression.				
<i>J Am Acad Child Adolesc Psychiatry</i> 38 566-572, 1999.				
<b>Amsterdam J</b>	<b>124</b>	<b>2.8</b>	<b>347.2</b>	<b>8</b>
Selective serotonin reuptake inhibitor efficacy in severe and melancholic depression.				
<i>J Psychopharmacol</i> 12 S 1998 pp 99-111.				
<b>Berndt ER</b> , Bailit HL, Keller MB, Verner JL, Finkelstein SN.	<b>19,93,260,1,26,</b>	<b>5.08</b>	<b>2026.92</b>	<b>1</b>
Health care use and at work productivity.				
<i>Health Aff</i> 2000, 19, 244-256.				

<b>Berndt ER</b> , Finkelstein SN, Greenberg PE, Howland RH, Keith A, Rush AJ, Russell J, Keller MB.	<b>19,26,21,36,8,237,51, 260</b>	<b>2.37</b>	<b>1559.46</b>	<b>10</b>
Workplace performance effects from chronic depression and its treatment.				
<i>J Health Econ 1998: 17:511-535.</i>				
<b>Berndt ER</b> , Koran LM, Finkelstein SN, Gelenberg AJ, Kornstein SG, Miller IM, Thase ME, Trapp GA, Keller MB	<b>19,79,26,121,16,47,208,19,260</b>	<b>6.3</b>	<b>5002.1</b>	<b>11</b>
Lost human capital from early onset chronic depression.				
<i>Am J Psychiatry 157, 940-947. 2000.</i>				
<b>Bondareff W</b> , Alpert M, Friedhoff AJ, Richter EM, Clary C, Batzar E.	<b>71,96,158,5,29,4</b>	<b>6.3</b>	<b>2286.9</b>	<b>13</b>
Comparison of Sertraline and Nortriptyline in the treatment of major depressive disorder in late life.				
<i>American Journal of Psychiatry 157, 729-736. 2000.</i>				
<b>Brady K</b> , Pearlstein T, Asnis GM, Baker D, Rothbaum B, Sikes CR, Farfel GM.	<b>86,37,117,12,21,8,7</b>	<b>11.4</b>	<b>3283.2</b>	<b>47</b>
Efficacy and Safety of Sertraline Treatment of Posttraumatic Stress Disorder.				
<i>JAMA, 283 (14), 1837-1844, 2000.</i>				
<b>Browne G</b> , Steiner M, Roberts J, Gafni A, Byrne C, Bell B, Mills M, Chalkin L, Wallik D, Kraemer J, Dunn E.	<b>33,55,62,165,41,19,8,1,2,1,10</b>	<b>2.1</b>	<b>833.7</b>	<b>4</b>
Prevalence of dysthymic disorder in primary care.				
<i>J of Affective Disorders 54, 303-308, 1999.</i>				
<b>Boyer P, Danion JM, Bisslerbe JC, Hotton JM, Troy S.</b>	<b>69,82,39,10,30</b>	<b>1.37</b>	<b>966</b>	<b>13</b>
Clinical and Economic Comparison of Sertraline and Fluoxetine in the Treatment of Depression.				
<i>Pharmacoeconomics 1998: 13(1): 157-69.</i>				

<b>Burns A</b> , Russell E, Stratton-Powell H, Tyrell P, O'Neill P, Baldwin R	<b>85,3,1,1,7,3</b>	<b>1.56</b>	<b>156</b>	<b>3</b>
Sertraline in Stroke Associated lability of mood.				
<i>Int J Geriatric Psychiatry</i> 1999, 14, 681-685.				
<b>Davidson JRT</b> , Rothbaum BO, van der Kolk BA, Sikes CR, Farfel GM	<b>180,20,54,10,7</b>	<b>11.0</b>	<b>2981</b>	<b>8</b>
Multicenter, double blind comparison of Sertraline and placebo in the treatment of posttraumatic stress disorder.				
Arch Gen Psychiatry 58, 485-492. 2001.				
<b>Finkel SI</b> , Richter EM, Clary C.	<b>44,5,29</b>	<b>1.5</b>	<b>117</b>	<b>N/A</b>
Comparative efficacy of Sertraline vs Noratryptiline in major depression in patients 70 and older.				
<i>International Psychogeriatrics</i> 11, 85-99, 1999.				
<b>Finkel SI</b> , Richter EM, Clary C, Bazar E.	<b>44,5,29,4 (82)</b>	<b>2.0</b>	<b>164</b>	<b>4</b>
Comparative efficacy of Sertraline vs Fluoxetine in pts aged over 70 with major depression.				
<i>American Journal of Geriatric Psychiatry</i> 7:3, 221-227 1999				
<b>Flament MF</b> , Lane RM, Zhu R, Ying Z	<b>30,22,1,46</b>	<b>1.1</b>	<b>108.9</b>	<b>5</b>
Predictors of an acute antidepressant response to Fluoxetine and Sertraline				
<i>International Clinical Psychopharmacology</i> 14, 259-275. 1999.				
<b>George T</b> , Theodoros MT, Chiu E, Krapivensky N, Hokin A, Tiller JW	<b>9,6,28,2,1,41</b>	<b>1.2</b>	<b>122.4</b>	<b>0</b>
An open study of Sertraline in patients with major depression who failed to respond to Moclobemide.				
<i>Austr &amp; NZ J Psychiatry</i> 1999, 33, 889-895.				
<b>Goodnick PJ, Goldstein BJ</b> (i)	<b>61,5</b>	<b>2.8</b>	<b>184.8</b>	<b>18</b>
Selective serotonin reuptake inhibitors in affective disorders_ Basic pharmacology.				
<i>J Psychopharmacol</i> 12 Supp 1998 pp 5-20..				

<b>Goodnick PJ, Goldstein BJ(ii)</b>	<b>61,5</b>	<b>2.8</b>	<b>184.8</b>	<b>9</b>
Selective serotonin reuptake inhibitors in affective disorders. Efficacy and quality of life.				
<i>J Psychopharmacol 12 S 1998 pp 21-54.</i>				
<b>Goldstein PJ, Goodnick BJ(iii)</b>	<b>5,61</b>	<b>2.8</b>	<b>184.5</b>	<b>15</b>
Selective serotonin reuptake inhibitors in affective disorders. Tolerability, safety and pharmacoeconomics.				
<i>J Psychopharmacol 12 S 1998 pp 55-88.</i>				
<b>Hellerstein DJ, Kocsis JH, Chapman D, Stewart JW, Harrison W.</b>	<b>21,116,3,135,35</b>	<b>6.3</b>	<b>1953</b>	<b>5</b>
Double blind comparison of Sertraline, Imipramine and placebo in the treatment of dysthymia: Effects on personality.				
<i>Amer J Psychiatry 157, 1436-1444. 2000.</i>				
<b>Hirschfeld RM</b>	<b>82</b>	<b>2.0</b>	<b>164</b>	<b>10</b>
Sertraline in the treatment of anxiety disorders				
<i>Depress &amp; Anxiety 2000, 11, 139-157.</i>				
<b>Hirschfeld RM, Russell JM, Delgado PL, Fawcett J, Friedman RA, Harrison W, Koran LM, Miller IW, Thase ME, Howland RH, Connolly MA, Micelli RJ.</b>	<b>82,51,51,118,45,35,79,47,208, 36, 10, 3</b>	<b>4.2</b>	<b>3213</b>	<b>9</b>
Predictors of response to acute treatment of chronic and double depression with Sertraline or Imipramine.				
<i>J Clin Psychiatry 1998;59:669-675.</i>				
<b>Hoehn-Saric R , Ninan P, Black DW, Stahl S, Greist JH, Lydiard B, McElroy S, Zajecka J, Chapman D, Clary C Harrison W.</b>	<b>79,39,111,7,115,5,247,31,3,29,35</b>	<b>6.3</b>	<b>4416.3</b>	<b>8</b>
Multicenter double blind comparison of Sertraline and Desipramine for concurrent OCD and major depressive disorders				
<i>AGP 2000 57, 76-82.</i>				
<b>Jermain DM, Preece CK, Sykes RL, Kuehl , Sulak P.J.</b>	<b>13,7,12,121,22</b>	<b>1.4</b>	<b>245</b>	<b>16</b>
Luteal phase sertraline treatment for pmdd.				

<i>Archives of Family Medicine</i> 1999, 8, 328-332.				
<b>KatzelnickDJ</b> , Simon GE, Pearson SD, Manning WG, Helstad CP, Henk HJ, Cole SM, Lin EH, Taylor LH, Koback KA.	<b>21,28,23,81,7,7,2,22,15,24</b>	<b>1.4</b>	<b>322</b>	<b>28</b>
Randomised trial of a depression a managed programme in high utilizers of medical care.				
<i>Arch Fam Medicine</i> 2000, 9, 345-351.				
<b>Keller MB</b> , Gelenberg AJ, Hirschfeld RM, Rush AJ, Thase ME, Kocsis JH, Markowitz JC, Fawcett JA, Koran LM, Klein DN, Russell JM, Kornstein SG, McCullough JP, Davis SM, Harrison W.	<b>260,121,82,237,208,116,74, 118,79,79,51,16,30,9,35</b>	<b>4.2</b>	<b>6216</b>	<b>44</b>
The Treatment of Chronic Depression Part 2: A double blind randomised trial of Sertraline and Imipramine.				
<i>J Clin Psychiatry</i> 1998:59 (11):598-607.				
<b>Keller MB</b> , Kocsis JH, Thase ME, Gelenberg AJ, Rush AJ, Koran L, Schatzberg A, Russell J, Hirschfeld R, Klein D, McCullough JP, Fawcett JA, LaVange L, Harrison W.	<b>260,116,208,121,237,79,137,51 82,79,30,118,16,35</b>	<b>11.4</b>	<b>17865.8</b>	<b>40</b>
Maintenance phase efficacy of Sertraline for chronic depression: A randomised controlled trial.				
<i>JAMA</i> 1998: 280:1665- 1672.				
<b>Klein D</b> , Schatzberg AF, McCullough JP, Keller MB, Dowling F, Goodman D, Howland R, Markowitz J, Smith C, Micelli R, Harrison W.	<b>79,137,30,260,2,2,36,74,-,3,35</b>	<b>2.1</b>	<b>1390.2</b>	<b>7</b>
Early versus late onset dysthymic disorder: Comparison in outpatients with superimposed major depressive episodes.				
<i>Journal of Affective Disorders</i> 1999, 52, 187- 196.				
<b>Kornstein SG</b> , Schatzberg AF, Thase ME, Yonkers KA, McCullough JP, Keitner GI, Gelenberg AJ, Davis SM, Harrison W, Keller MB.	<b>16,137,208,41,30,55,121,9,35 260</b>	<b>6.3</b>	<b>5733</b>	<b>18</b>

Gender differences in treatment response to Sertraline versus Imipramine in chronic depression.				
<i>American Journal of Psychiatry</i> 157, 1445-1452. 2000.				
<b>Lane RM.</b>	<b>22</b>	<b>2.8</b>	<b>62.26</b>	<b>22</b>
SSRI induced extrapyramidal side effects and akathisia: Implications for treatment.				
<i>J Psychopharmacology</i> 1998; 12: 192-214.				
<b>Lawrenson RA, Tyrer F, Newson RB, Farmer RDT.</b>	<b>41,6,32,127</b>	<b>2.1</b>	<b>432.6</b>	<b>7</b>
The Treatment of depression in UK general practice: Selective Serotonin reuptake inhibitors and tricyclic antidepressants compared.				
<i>Journal of Affective Disorders</i> 2000, 59, 149-157.				
<b>Lepine JP, Goger J, Blashko C, Probst C, Moles M-F, Kosolowski J, Scharfetter B, Lane RM.</b>	<b>72,1,1,1,1,1,22</b>	<b>1.1</b>	<b>110</b>	<b>2</b>
A double blind study of the efficacy and safety of Sertraline and Clomipramine outpatients with severe major depression.				
<i>International Clinical Psychopharmacology</i> 15, 263-271 2000.				
<b>Londborg PD, Wolkow R, Smith WT, DuBoff E, England D, Ferguson J, Rosenthal M, Weise C.</b>	<b>9,11,19,7,2,-,-,14</b>	<b>4.09</b>	<b>253.58</b>	<b>35</b>
Sertraline in the treatment of panic disorder. A multi site, double blind, placebo controlled, fixed dose investigation.				
<i>Br J Psychiatry</i> 173:54-60 (1998).				
<b>Malt U, Robak O, Madsbu H, Bakke O, Loeb M.</b>	<b>99,30,6,9,90</b>	<b>5.14</b>	<b>1202.76</b>	<b>18</b>
The Norwegian naturalistic treatment study of depression in general practice. NORDEP.				
<i>British Medical Journal</i> 199980-84.				

<b>March JS</b> , Biederman J, Wolkow R, Safferman A, Mardekian J, Cook EH, Cutler NR, Dominguez R, Ferguson J, Muller B, Riesenber g R, Rosenthal M, Sallee FR, Wagner KD, Steiner H.	<b>48,213,11,31,5,30,68,4,-,-,4,-,34 32 ???????</b>	<b>11.4</b>	<b>5472</b>	<b>46</b>
Sertalline in children and adolescents with OCD: A multicenter randomised controlled trial.				
<i>JAMA 1998: 280: 1752-1758.</i>				
<b>McCullough JP</b> , Klein DN, Keller MB, Holzer CE, Davis SM, Kornstein SG, Howland RH, Thase ME, Harrison WM.	<b>30,79,260,33,9,16,36,208,35 (706)</b>	<b>3.0</b>	<b>2118</b>	<b>1</b>
Comparison of DSM-III chronic major depression and major depression superimposed on dysthymia (double depression): Validity of the distinction.				
<i>J Abnorm Psychol 109, 419-427.</i>				
<b>Miller IW</b> , Keitner GI, Schatzberg AF, KleinDN, Thase ME, Rush AJ, Markowitz JC Schlager DS, Kornstein SG, Davis SM, Harrison W, Keller MD.	<b>47,55,137,79,208,237,74,9,16, 9,35,260</b>	<b>4.2</b>	<b>4804.8</b>	<b>33</b>
The Treatment of Chronic Depression Part 3: Psychosocial Functioning before and after treatment with Sertraline and Imipramine				
<i>J Clin Psychiatry 1998:59:608-619.</i>				
<b>Newhouse PA</b> , Krishnan RR, Doraiswamy PM, Richter EM, Batzar E, Clary C.	<b>48,15,86,5,4,29</b>	<b>4.2</b>	<b>785.4</b>	<b>N/A</b>
A double blind comparison of Sertraline and Fluoxetine in depressed elderly outpatients.				
<i>Journal of Clinical Psychiatry 61:8, 559-568, 2000.</i>				
<b>Pearlstein T</b> , Halbreich U, Baltzar E, Brown C, Endicott J, Frank E, Freeman E, Harrison W, Haskett RF, Stout AL, Yonkers K.	<b>37,148,4,18,143,43,58,35,71,16 41</b>	<b>4.2</b>	<b>2578.8</b>	<b>7</b>

Psychosocial functioning in women with premenstrual dysphoric disorder before and after treatment with sertraline or placebo.				
<i>J Clin Psychiatry</i> 61:2, 101-109 (2000).				
<b>Pearson SD</b> , Katzelnick DJ, Simon GE, Manning WG, Helstad CP, Henk HJ.	<b>23,21,28,81,7,7, (167)</b>	<b>2.0</b>	<b>334</b>	<b>14</b>
Depression among high utilizers of medical care.				
<i>J General Internal Medicine</i> 1999, 14, 461-468.				
<b>Pohl RB</b> , Wolkow R, Clary C.	<b>75,11,29</b>	<b>6.3</b>	<b>724.5</b>	<b>29</b>
Sertraline in the treatment of panic disorder: a double blind multicenter trial.				
<i>Am J Psychiatry</i> 1998: 155:1189-1195.				
<b>Pollack MH</b> , Otto MW, Worthington JJ, Manfro GG, Wolkow R.	<b>118,77,23,9,11</b>	<b>11.0</b>	<b>2618</b>	
Sertraline in the treatment of panic disorder: a flexible dose multicenter trial.				
<i>Arch Gen Psychiatry</i> 1998: 55 (11): 1010-16.				
<b>Pollack MH</b> , Rapaport MH, Clary C, Mardekian J, Wolkow R.	<b>118,49,29,5,11</b>	<b>4.2</b>	<b>890.4</b>	<b>0</b>
Sertraline treatment of panic disorder: Response in patients at risk for poor outcome.				
<i>J Clin Psychiatry</i> 2000, 61, 922 – 927.				
<b>Preskorn PK.</b>	<b>146</b>	<b>2.8</b>	<b>413.18</b>	<b>10</b>
Debate resolved: there are differential effects of serotonin selective reuptake inhibitors on cytochrome P450 enzymes.				
<i>J Psychopharmacol</i> 12 S 1998 pp 89-98.				
<b>Rapaport MH</b> , Pollack MH, Clary C, Mardekian J, Wolkow R.	<b>49,118,29,5,11</b>	<b>5.7</b>	<b>1208.4</b>	<b>0</b>
Panic disorder and response to sertraline: The effect of previous treatment with benzodiazepines.				
<i>J clin psychopharm</i> 21 (1), 104-107, 2001				

<b>Rapaport MH</b> , Pollack MH, Wolkow R, Mardekian J, Clary C.	<b>49,118,11,5,29</b>	<b>6.3</b>	<b>1335.6</b>	<b>3</b>
Is placebo response the same as drug response in panic disorder.				
<i>AJP 2000, 157 (6), 1014-1016</i>				
<b>Rapaport</b> , Wolkow , Clary C.	<b>49,11,29</b>	<b>2.25</b>	<b>200.25</b>	<b>5</b>
Methodologies and outcomes from the Sertraline, multicenter flexible dose trial (panic disorder).				
<i>Psychopharmacol Bull 1998: 34(2):183-189.</i>				
<b>Ravindran AV</b> , Guelfi JD, Lane RM, Cassano GB.	<b>43,92,22,200</b>	<b>4.2</b>	<b>1499.4</b>	<b>5</b>
Treatment of dysthymia with Sertraline: A double blind, placebo controlled trial in dysthymic patients without major depression.				
<i>J Clin Psychiatry – 61, 821-827, 2000.</i>				
<b>Rosen RC</b> , Lane R, Menza M.	<b>39,22, 33</b>	<b>5.7</b>	<b>535.8</b>	<b>59</b>
Effects of SSRIs on Sexual Function.				
<i>J Clin Psychopharmacol 1999: 18: 67-85.</i>				
<b>Rush AJ</b> , Koran LM, Keller MB, Markowitz JC, Harrison W, Micelli RJ, Fawcett JA, Gelenberg AJ, Hirschfeld RM, Klein DN, Kocsis JH, McCullough J, Schatzberg A, Thase M.	<b>237,79,260,74,35,3,118,121, 82,79,116,30,137,208</b>	<b>4.2</b>	<b>6623.4</b>	<b>17</b>
The Treatment of Chronic Depression Part 1: Study design and rationale for evaluating the comparative efficacy of Sertraline and Imipramine as acute, crossover, continuation, and maintenance phase therapies.				
<i>J Clin Psychiatry 1998: 59:589-597.</i>				
<b>Russell J</b> , Berndt ER, Miceli R, Colucci S, Grudzinski AN.	<b>51,19,3,1,5</b>	<b>.55</b>	<b>43.45</b>	<b>13</b>
Course and cost of treatment for depress with Fluoxetine, Paroxetine and Sertraline.				
<i>American J Managed Care 1999, 5 157-606.</i>				

<b>Russell JM</b> , Patterson J and Baker AM	<b>51, 5, 5 (61)</b>			<b>N/A</b>
Depression in the workplace: Epidemiology, Economics and Effects of Treatment.				
<i>Disease Management &amp; Health Outcome 1998: 4:135-142.</i>				
<b>Sechter D</b> , Troy S, Patemetti J, Boyer P.	<b>73,30,1,69</b>	<b>.59</b>	<b>102.07</b>	<b>1</b>
A Double blind comparison of Sertraline and Fluoxetine in the treatment of major depression episodes in outpatients.				
<i>European Psychiatry 14, 41-48, 1999.</i>				
<b>Shapiro PA</b> , Lesperance F, Frasure-Smith N, O'Connor CM, Baker B, Jiang J, Dorian P, Harrison W, Glassman AH.	<b>41,11,38,102,18,19,112,35,115</b>	<b>2.02</b>	<b>991.82</b>	<b>30</b>
An open label preliminary trial of sertraline for treatment of major depression after acute myocardial infarction – the SADHAT trial.				
<i>Amer Heart Journal 137, 1100-1106, 1999.</i>				
<b>Sogaard J</b> , Lane R, Latimer P, Behnke K, Christiansen PE, Nielsen B, Ravindran AV, Reesal RT, Goodwin DP.	<b>18,22,24,22,5,-,43,12,1</b>	<b>2.8</b>	<b>411.6</b>	<b>1</b>
A 12 week study comparing moclobemide and Sertraline in the treatment of outpatients with atypical depression.				
<i>J of Psychopharmacology 13, 406-414.</i>				
<b>Wilens TE</b> , Biederman J, March JS, Wolkow R, Fine CS, Millstein RB, Faraone SV, Geller D, Spencer TJ.	<b>100,213,48,11,4,5,243,12,90</b>	<b>3.6</b>	<b>2613.6</b>	<b>4</b>
Absence of cardiovascular adverse effects of sertraline in children and adolescents.				
<i>J Am Acad Child Adolesc Psychiatry 1999 38 573-577.</i>				